




CARGOGLIDE
SLIDE OUT
TRUCK TRAYS

www.CargoGlide.com ■ 877-525-9535 ■ Made in U.S.A.



CargoGlide's Commitment to You

It started with a commitment to build a better delivery system. A sliding tray that was American made. Not compromising quality of material, to make a "Pretty" outward appearance. By listening to the needs of our customers not what we thought they would like, we designed a sliding tray with longevity of use and ease of function.

Like our commitment from the start, we pride ourselves on building a safety tool that keeps delivering to you anything you need retrieved, while saving your knees and back. That's what CargoGlide is, the smart persons retrieval system. We are committed to make your life and work easier, smarter, more efficient and safer.

In short our slide was designed & built to help "YOU" work or play more efficiently. It's our commitment to you.

The CargoGlide Family

Table of Contents

Just Look it's only 8 pages



Steel Frame

70% - 75% Extension

Burnished Aluminum Face Plate

6 Full Complement Sealed Ball Bearings

Preassembled

1000lb Capacity




1000 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Sturdy steel frame construction. Real plywood deck with a laminated surface for strength and durability. 6 Bearings Total, 4 Full Complement Permanently Sealed Ball Bearings and Two Powerful Needle Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide.

Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile.

CAPACITIES


Payload Distributed Capacity	1000 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 6350
Load	2 @1573 ea.
Carrier	2 @ 1602 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4 - 6 @ 1500 lbs. each
Extension	70-75%

DIMENSIONS / WEIGHT RANGES

Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	3 3/4
Side Rails	4"
Grab Rail	Based on width of unit
Lower Frame Width	19" - 35"
Weight	130 - 175 lbs.

Custom Sizes Available

Main Specs



1200 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Sturdy steel frame construction. Real plywood deck with a laminated surface for strength and durability. 8 Full Complement Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide.

Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile.

CAPACITIES

Payload Distributed Capacity	1200 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 15048
Load	2 @ 2508 ea.
Carrier	4 @ 2508 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4-6 @ 1500 lbs. each
Extension	70% - 75%

DIMENSIONS / WEIGHT RANGES


Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	3 3/4
Side Rails	4"
Grab Rail	Based on width of unit
Lower Frame Width	19" - 35"
Weight	130 - 175 lbs.

Custom Sizes Available



CG1500

Main Specs



1500 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Sturdy steel frame construction. Real plywood deck with a laminated surface for strength and durability. 8 Full Complement Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide.

Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile.


CAPACITIES

Payload Distributed Capacity	1500 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 15048
Load	2 @ 2508 ea.
Carrier	4 @ 2508 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4 - 6 @ 1500 lbs. each
Extension	70% - 75%

DIMENSIONS / WEIGHT RANGES

Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	4 1/4
Side Rails	4"
Grab Rail	Based on width of unit
Lower Frame Width	19.5" - 35 1/2"
Weight	155 - 205 lbs.

Custom Sizes Available



1800 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Real plywood deck with a laminated surface for strength and durability. 8 Full Complement Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide.

Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

CAPACITIES

Payload Distributed Capacity	1800 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 16070
Load	2 @ 3019 ea.
Carrier	4 @ 2508 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4 - 6 @ 1500 lbs. each
Extension	70% - 75%

DIMENSIONS / WEIGHT RANGES


Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	4 1/4
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Lower Frame Width	19.5" - 35 1/2"
Weight	155 - 205 lbs.

Custom Sizes Available



CG2200HD

Main Specs



2200 lb capacity. 75% of the Cargo Tray Length Slides Out on short bed trucks and 70% on long beds. Real plywood deck with a laminated surface for strength and durability. 10 Bearings Total, 4 Full Complement Double Row, 6 Single Row Permanently Sealed Ball Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide.

Industrial 4" high extruded 6061-T6 Thick Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.

CAPACITIES

Payload Distributed Capacity	2200 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 22108
Load	4 @ 3019 ea.
Carrier	4 @ 2508 ea.
Side-Thrust	2 @ 1573 ea.
Plus-Nut Rating (in. 125 steel)	4 - 6 @ 1500 lbs. each
Extension	70% - 75%


DIMENSIONS / WEIGHT RANGES

Length	30" - 96"
Width	22" - 48"
Profile/ Deck Height (inches)	4 1/4
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Lower Frame Width	19.5" - 35 1/2"
Weight	155 - 205 lbs.

Custom Sizes Available



CARGOGLIDE

CG1500XL




CARGOGLIDE

CG2200XL



2200 lb capacity. 100% of the Cargo Tray Length Slides Out for Total Access to your Cargo. Real plywood deck with a laminated surface for strength and durability. 22 Bearings Total, 2 Full Complement Double Row, 18 Single Row Permanently Sealed Ball Bearings and 2 Cam Follower Sealed Needle Bearings provide Dependable Lasting support for the Cargo You Haul in Your CargoGlide.

Powder coated Industrial 4" high extruded 6061-T6 Aluminum Side Rails with a Slot Style infinitely adjustable Tie Down Track around all Three Sides, and includes 4 adjustable marine grade tie down eyebolts to make securing cargo easy and versatile. Includes 8" High Side Extensions on the first four feet of the rails at the cab end, helps contain more cargo.



CAPACITIES

Payload Distributed Capacity	2200 lbs
Tie-down Load Rating	400 lbs per tie-down
Bearing Load Rating	Combined Load Rating of Bearings = 56128
Load	2 @ 3019 ea. / 18 @ 2508 ea
Carrier	2 @ 2473 ea.
Side-Thrust	N/A
Plus-Nut Rating (in. 125 steel)	6 - 8 @ 1500 lbs. each
Extension	100%

DIMENSIONS / WEIGHT RANGES

Length	36" - 130"
Width	22" - 48"
Profile/ Deck Height (inches)	5
Side Rails	4" with 8" High Sides
Grab Rail	Based on width of unit
Lower Frame Width	47" Standard
Weight	335 - 448 lbs.

Custom Sizes Available



DUALGLIDE & DURAGLIDE

Main Specs

Steel Frame	70% - 75% Extension	Burnished Aluminum Face Plate	18 Full Complement Ball Bearings	Preassembled	1000lb Capacity
-------------	---------------------	-------------------------------	----------------------------------	--------------	-----------------






Powder coated steel frame, up to 75% extension in single or dual directions, Real plywood deck with laminated surface for strength and durability, 18 Roller Bearings Including Side Thrust Bearings for use flat or sideways. Single or dual directional models available. Perfect for applications such as Vans with 2 side opening doors, RVs, Work Trucks and other applications. Capacities 1000 lbs. 100% Fully Assembled. Custom sizes available





Configuration Options







877-525-9535
Sales@CargoGlide.com | CargoGlide.com

2015 APPLICATION GUIDE					Size	70% Extension Models				100% Extension		
Year	CHEVROLET / GMC					CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL
1970 - 2015	Silverado / Sierra Longbed (8' Bed)				9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548
1970 - 2015	Silverado / Sierra Shortbed (6½' Bed)				7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548
2005 - 2015	Silverado / Sierra Crew Cab SSB (5½' Bed)				6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548
2002 - 2015	Avalanche / Cadillac Escalade EXT (No Drill)				Aval	CG1000-Aval	CG1200-Aval	CG1500-Aval	CG1800HD-Aval	N/A	CG1500XL-Aval	N/A
2004 - 2015	Colorado / Canyon Std & Ext Cabs				7041	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	N/A	N/A	N/A
2015	Colorado / Canyon Short Box				5841	CG1000-5841	CG1200-5841	CG1500-5841	N/A	N/A	N/A	N/A
1992 - 2015	Suburban / Yukon XL				6347	CG1000-6347	CG1200-6347	CG1500-6347	CG1800HD-6347	CG2200HD-6347	CG1500XL-6347	CG2200XL-6347
1999 - 2015	Tahoe				4147	CG1000-4147	CG1200-4147	CG1500-4147	CG1800HD-4147	N/A	CG1500XL-4147	N/A
Year	FORD					CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL
1970 - 2015	All F-Series Longbed - All Cab Designs				9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548
1999 - 2015	Super-Duty Shortbed - All Cabs				8048	CG1000-8048	CG1200-8048	CG1500-8048	CG1800HD-8048	CG2200HD-8048	CG1500XL-8048	CG2200XL-8048
1970 - 2015	Shortbed 6.5' Bed - All Cab Designs				7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548
2001 - 2015	F150 Super Crew - Super Shortbed				6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548
2010 - 2015	Ford Raptor with and w/o bedliner				6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548
Year	DODGE					CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL
1970 - 2015	Ram 1500/2500/3500 Longbed (8' Bed)				9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548
1970 - 2015	Ram 1500/2500/3500 Shortbed W/O Bedliner				7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548
2009 - 2015	Ram 1500 Shortbed (5.7' Bed)				6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548
Year	TOYOTA					CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL
2005 - 2015	Tacoma Regular & Access Cab				7041	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	N/A	N/A	N/A
2005 - 2015	Tacoma Double Cab Longbed				7041	CG1000-7041	CG1200-7041	CG1500-7041	CG1800HD-7041	N/A	N/A	N/A
2007 - 2015	Tundra Reg Cab/Dbt/CrewMax Cab Shortbed				7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548
2007 - 2015	Tundra Reg Cab & Dbt Cab Longbed				9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548
2007 - 2013	Tundra CrewMax (5.5' Bed)				6348	CG1000-6348	CG1200-6348	CG1500-6348	N/A	N/A	CG1500XL-6348	CG2200XL-6348
Year	NISSAN					CG1000	CG1200	CG1500	CG1800HD	CG2200HD	CG1500XL	CG2200XL
2006 - 2015	Titan King Cab Longbed (8')				9548	CG1000-9548	CG1200-9548	CG1500-9548	CG1800HD-9548	CG2200HD-9548	CG1500XL-9548	CG2200XL-9548
2004 - 2015	Titan King Cab Shortbed (6.5')				7548	CG1000-7548	CG1200-7548	CG1500-7548	CG1800HD-7548	CG2200HD-7548	CG1500XL-7548	CG2200XL-7548
2004 - 2015	Titan Crew Cab Shortbed (5.5')				6548	CG1000-6548	CG1200-6548	CG1500-6548	CG1800HD-6548	CG2200HD-6548	CG1500XL-6548	CG2200XL-6548
2005 - 2015	Frontier King Cab Regular Bed				7038	CG1000-7038	CG1200-7038	CG1500-7038	CG1800HD-7038	CG2200HD-7038	N/A	N/A
2000 - 2015	Frontier Crew Cab Regular Bed				7038	CG1000-7038	CG1200-7038	CG1500-7038	CG1800HD-7038	CG2200HD-7038	N/A	N/A
If you don't see your model, call for custom size												
CARGOGLIDE ACCESSORIES												
CGSL-1	Adjustable dropdown stabilizer legs											
CGCR-65	CargoRack - Aluminum Modular Rack System - 65" slide											
CGCR-75	CargoRack - Aluminum Modular Rack System - 75" slide											
CGCR-95	CargoRack - Aluminum Modular Rack System - 95" slide											
CGHS-48	HighSides - Standard Kit 48" Long on Sides, Width of Deck at Cab End; Can order custom sizes.											
CGCTTD-4	CargoTrack - Adjustable Sliding Tie Down EyeBolt Attachments (Set of 4)											
CGGN-1	GooseNeck Option (CG2200HD Only, Need Measurements: Cab End of Bed to Center of Hitch Ball.) (Best if Hitch Ball is Flip Over Flush Mount Type)											
CGCD-6	CargoDivider - 6" high, Attaches to Slide Rail Tie Down Track; Provide Width of Slide Deck if Ordering Separately.											
Haul Everything Easier, Safer and Faster with an Easy Sliding High Capacity CargoGlide® brand Industrial Sliding Cargo Tray												
www.CargoGlide.com												